

2mm 10 pin Socket Headers (for XBee) - Pack of 2

PRODUCT ID: 366

IN STOCK

1




ADD TO CART

1-9

10-99

100+

ADD TO WISHLIST

[DESCRIPTION](#)[TECHNICAL DETAILS](#)

DESCRIPTION

XBees are so cute and tiny but if you're using them in a circuit you'll be annoyed to find that your classic 0.1" headers don't fit them! That's because they use 2mm spacing instead of 2.54mm spacing. That's why you need special sockets like these ones!

As of Tuesday, June 16th, 2015 we are selling two sockets together instead of just one!

These sockets have 10 pins, spaced 2mm apart. Check the [datasheet](#) for a detailed diagram. You can find a footprint for the XBee that works with this connector [in our Eagle Library](#) (its called XBEE).

New Products 6/24/2015





TECHNICAL DETAILS

- [Component datasheet](#)




LEARN




[XBee Radios](#)
Simple wireless
communication

MAY WE ALSO SUGGEST...



Digi XBee - Skill badge,



XBee Pro Module - Series 1




USB XBee Adapter




XBee Pro Module - ZB



XBee Module - Series 1 -



XBee Module - ZB Series



36-pin 0.1" Short Female



36-pin 0.1" Short Break-

DISTRIBUTORS [EXPAND TO SEE DISTRIBUTORS](#)

[CONTACT](#)

[SUPPORT](#)

[DISTRIBUTORS](#)

[EDUCATORS](#)

[JOBS](#)

[FAQ](#)

[SHIPPING & RETURNS](#)

[TERMS OF SERVICE](#)

[PRIVACY & LEGAL](#)

[ABOUT US](#)

*"The walls between art and
engineering exist only in our minds"*
- [Theo Jansen](#)

ENGINEERED IN NYC [Adafruit](#)®



4.9 ★★★★★
Google
Customer Reviews