Q



SHOP


BLOG

LEARN

FORUMS

VIDEOS

COMPONENTS & PARTS / HEADERS / IDC BREAKOUT HELPER - 2X16 (32 PIN)



IDC Breakout Helper - 2x16 (32 pin) PRODUCT ID: 2103

IN STOCK

ADD TO CART

1-9

10-99

100+

DESCRIPTION

TECHNICAL DETAILS













DESCRIPTION

socket. Since IDC cables are so standard, but a royal pain to use with breadboards, this is a good and cheap hack for prototyping. Works best when soldered in place. We have used these to prototype on a solderless breadboard but some customers report their breadboards don't play nice with the shorter pins so your mileage may vary

Each order comes with one socket and one header. Breadboard, Perma Proto and IDC cable not included!

We also have helpers for:

- 2x20 Pins
- 2x13 Pins
- 2x8 Pins
- 2x5 Pins
- 2x3 Pins




TECHNICAL DETAILS

- Dimensions (assembled): 41mm x 8mm x 17mm / 1.6" x 0.3" x 0.7"
- Dimensions (header): 40mm x 5mm x 12mm / 1.6" x 0.2" x 0.5"
- Dimensions (socket): 41mm x 8mm x 8mm / 1.6" x 0.3" x 0.3"
- Weight (assembled): 4g




MAY WE ALSO SUGGEST...



















CONTACT

SUPPORT

DISTRIBUTORS

EDUCATORS

JOBS

FAQ

SHIPPING & RETURNS

TERMS OF SERVICE

PRIVACY & LEGAL

ABOUT US

"Tomorrow belongs to those who can hear it coming" - David Bowie



4.9 ★★★★ Google Customer Reviews

ENGINEERED IN NYC Adafruit ®